



INNERSPACE

CHESHIRE

CHARRED TIMBER

PANELS, PLANKS AND ON A ROLL
FOR WALLS, PANELS
AND FURNITURE

#MATERIALSFORDESIGN

A close-up photograph of charred timber, showing a dark, cracked, and textured surface. The wood grain is visible, and the overall appearance is that of a well-used, weathered material.

CHARRED TIMBER

Yakisugi is the ancient Japanese craft of conserving timber through the charring of its surface with flame. We love the effect so have come up with two ways that enable designers to achieve a charred timber look.

Our stock line is a deeply charred plank which is the most authentic finish, but remains practical to install with hidden fixings supplied with the planks.

Additionally, as a special, the product can be supplied with a different, bespoke level of charring, both on a board format or as planks depending on the required visual.

And even more practical is our charred timber on a roll.





Charred Timber Planks

We use spruce timber which is charred and then sealed using a nano-coating so that the charred surface doesn't mark when touched.



**Charred Timber Planks measure
170 x 3000mm.**



Charred Timber on a Roll

Installed with the supplied adhesive and jointing putty, the on a roll version is easier to install and a cost-effective way of achieving a premium finish.

**Charred Timber on a Roll measures
1000 x 3000mm.**

GET SPECIFIC

Charred Timber Planks

| | |
|---------------------|--|
| Thickness | Thickness varies with the heavily textured nature of the product, but is between 20-25mm for the panels and 18-20mm for the planks |
| Dimensions | 170mm x 3000mm as standard. Bespoke sizes made to order |
| Weight | 6 – 7 kg/sq m |
| Suitability | For walls, panels and furniture |
| Installation | Hidden fixings or split-batten installation |

Charred Timber on a Roll

| | |
|-----------------------------|--|
| Thickness | Thickness varies with the heavily textured nature of the product, but is between 1-2mm |
| Dimensions | 1000mm x 3000mm |
| Weight | The weight per roll varies because of the variance in the designs but is between 4 – 6 kg – equivalent to 1.33 – 2 kg / sq m |
| Suitability | For walls, panels and furniture. Suitable for wet areas with the application of a special PU sealant |
| Included in delivery | Adhesive, jointing putty, sealant |

GET FITTING

Charred Timber Planks are a joinery item. A competent joiner will be able to work with the product in a comparable way to other timber cladding materials.

Charred Timber on a roll is a decorator item. Full installation instructions are available for both formats from Innerspace Cheshire.

GET CLEANING

Charred Timber Planks are sealed with a nano-coating so that dust can be removed with regular dusting. A damp cloth can be used to remove stains.

Once sealed the surface of Charred Timber on a roll can be cleaned using a clean, damp cloth.



T 01270 625 043 **F** 01270 618 338

sales@innerspacecheshire.co.uk www.innerspacecheshire.co.uk

47 Welsh Row, Nantwich, Cheshire CW5 5EW